

A photograph of a garden featuring a winding stone path made of irregular, multi-colored stones in shades of tan, grey, and reddish-brown. The path is bordered by green grass and low-lying shrubs. In the background, there is a swimming pool with a blue interior, surrounded by a white fence and several decorative stone pillars. The garden is filled with various trees, including palm trees and large, leafy trees, under a clear blue sky.

Porphyry's  
natural tonal  
variation  
blends well  
with the  
natural  
environment


---

# PORPHYRY

---

## RANGES

Porphyry




**Formats**

---



Random Lengths



Cobbles



Crazy Paving

Split Pebbles

---

A selection of high resolution 3D textures is available at [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)



**Porphyry is ideal for driveways and other high traffic areas. Given the subtle colour variation and low absorption rating, porphyry is easily maintained and doesn't show marks easily.**





Porphyry offers  
a warm rich  
colour palette

## PORPHYRY

- + The free form nature of porphyry is ideal for dealing with curves and non symmetrical spaces.




- + Mixing and matching different size formats provides a sense of movement within the design.





**Porphyry's natural split finish and inherently non-slip surface makes it an ideal product for commercial application.**




Typically porphyry is not quarried in large blocks like granite but instead sheers off and has a natural split finish. It's extracted in a similar way to slate or other sedimentary split stones.

## Sizes


### Cobbles

100x100mm, 20-40mm




### Random Lengths

150-600x150mm, 20-30mm




### Crazy Paving

Various sizes, 20-40mm



### Split Pebbles

Various sizes, 60-80mm



Weight for 20-40mm cobbles and crazy paving is approximately 75kg/m<sup>2</sup>.

Given Porphyry has variation in thickness this product should ideally be laid on a 25mm wet mortar bed over a concrete slab.

Other random length tiles sizes can be produced on request.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.