

Atlantic + Abyss



SPLIT STONE

COLOUR RANGES

Abyss
Atlantic
Cobb & Co
Lichen
Myrtle

Lichen [01]



RIDGE VIEW

Colour Range



Cobb & Co



Myrtle



Abyss



Lichen



Atlantic

A selection of high resolution 3D textures is available at www.ecooutdoor.com.au

A photograph of an outdoor shower area. The shower wall is constructed from large, rectangular stone tiles in various natural colors including grey, tan, and light blue. The tiles have a rough, split surface texture. A shower head is mounted on the top left, and two shower handles are mounted on the middle left. The shower is situated on a wooden deck, with a bed of grey pebbles and green plants with purple flowers in the foreground. A black metal fence is visible in the background.

Natural colour formations within the stone are highlighted through the natural split surface.

**Project Credits**

- 01 Rollingstone Landscapes NSW
- 02 Australian Pool Company NSW

+ A thin profile makes split stones an ideal option to be used on vertical surfaces.



+ The depth of colour variation draws in and anchors the surrounding colours in the space.

Lichen + Cobb & Co



Lichen



Lichen



Lichen

Marry the
flooring and
walling design

SPLIT STONE

+ Split stones provide a cost effective way to bring texture to a wall working with the natural patina of stone.

These stones provide a subtle texture that can extend across floors and walls.

Lichen



Abyss



Myrtle [Olinda Police Station]





The weight and ease of install make split stones an ideal cost effective commercial application.

COMMERCIAL APPLICATIONS

SPLIT STONE

+ A great cost effective alternative to traditional rendering which brings subtle colour variation and life to a project.

Cobb & Co [The Garden Company, Point Cook Community Centre VIC]



Lichen [Westfield Doncaster, VIC]




Atlantic



WALLING

Sizes

Tiles



SPLIT STONE

Split Stone tiles have been produced from fine grained sedimentary rock. These stones have been formed layer by layer over millions of years. The pressure exerted over this time has meant that these stones are extremely dense. Typically during production, these products have been split horizontally in line with this layering and then cut vertically into appropriate tile sizes.

Sizes

Cobb & Co

Tiles

100x100mm, 15-18mm
 195x195mm, 18-25mm
 400x195mm, 18-25mm
 400x400mm, 18-25mm
 605x400mm, 18-25mm
 810x400mm, 18-25mm
 810x810mm, 18-25mm

Myrtle

Tiles

195x195mm, 20-25mm
 400x195mm, 20-25mm
 400x400mm, 20-25mm
 810x400mm, 20-25mm
 810x810mm, 20-25mm

Abyss, Atlantic and Lichen

Tiles

195x195mm, 12mm
 400x195mm, 12mm
 400x400mm, 12mm
 605x400mm, 10mm
 810x400mm, 12mm
 810x810mm, 12mm
 Random free length
 300–1000 x 50–200mm, 10mm

Typically these products are adhered to a concrete or block wall with a suitable tile adhesive. Corner details are slightly different for each stone type.

Weight per m² for 12mm tiles is approximately 40kg/m².

When working out quantities required for a wall, you need to know the face in m² to be covered

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



For more downloadable imagery visit www.ecooutdoor.com.au