

Bluestone [Split]



TRADITIONAL FORMAT

COLOUR RANGES

Antibe Sandblasted

Bluestone Honed

Bluestone Split

Jiliby Sawn

Antibe [Sandblasted]



Colour Range



Antibe Sandblasted



Jilliby Sawn



Bluestone Honed



Bluestone Split

A selection of high resolution 3D textures is available at www.ecooutdoor.com.au



- 01 E-GA VIC
- 02 Nature's Vision NSW
- 03 Nature's Vision NSW

Custom Traditional Format Bluestone with a rough scyled finish [01]



+ Random length tiles offer great flexibility in the process of design and also ensure minimal waste occurs during construction.

Bluestone [Honed] [02]



Bluestone [Split] Flagstaff Gardens VIC



Bluestone [Honed]



Bluestone [Split]

+ Our L shaped corner units offer a sense of structural depth and form not achieved with a miter join.

TRADITIONAL FORMAT

Antibe [Sandblasted]



+

The 90-degree internal angles of our single unit corner pieces provide the authentic appearance of natural block work.

Bluestone Honed Corner

Bluestone [Split]

Corner details are essential to finish off the job




+ These stone cladding products are also available in flooring alternatives and are fantastic to support the sense of continuity between internal and external spaces.



Bluestone [Honed] [03]


Design continuity




Sizes

Walling


Split Face





Sawn Face

**Corners**

Split Face



Sawn Face

**Capping**

TRADITIONAL FORMAT

Traditional Format is a sophisticated classical style of walling incorporating core stone types such as limestone, sandstone and bluestone. With natural warmth and subtle colour variation these stone walling options help provide atmosphere to any space.

Sizes

Walling

Split face veneer and sawn on other 5 sides
Random lengths up to 800mm
Set height 200mm
Thickness 20-40mm
Available in Bluestone only

Sawn, honed, sandblasted face veneer and sawn on other 5 sides
Random lengths up to 800mm
Set height 200mm
Thickness 30mm
Bluestone available in honed
Antibe available in sandblasted
Jilliby available in sawn

These stones have a split, sawn, honed or sandblasted front face, with a sawn rear and sides to help facilitate easy installation. While usually supplied in random lengths with a set 200mm height, custom sizing can be created to suit project requirements.

Corners

Split face corner veneer
L shaped corner pieces
Long side 400mm
Short side 200mm
Set height 200mm
Thickness 20-40mm
Available in Bluestone only

Sawn, honed and sandblasted corners
L shaped corner pieces
Long side 400mm
Short side 200mm
Set height 200mm
Thickness 20-40mm
Bluestone available in honed
Antibe available in sandblasted
Jilliby available in sawn

Typically these products are adhered to a concrete or block wall with a suitable tile adhesive. When working out quantities required for a wall, you need to know the face in m2 to be covered and the number of lineal meter of corners required. Corners units are adjusted on site to deal with random length junctions.

Capping

Available on request

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



For more downloadable imagery visit www.ecooutdoor.com.au

END NOTE

We're committed to protecting our shared environment

As you can imagine, measuring our genuine environmental impact is a complex and lengthy process, especially in an industry where very little testing has been done to date.

The process of accurately identifying and measuring our impact is an ongoing one. In the meantime, our plan is to control what we can, offset where we can, and donate a percentage of our turnover to both local and international organisations who are working sustainably and responsibly in the industry areas we are engaged in. These organisations are in a far better position to deliver genuine social and environmental impact than us alone and we will continue to support their important work financially.

In the meantime, if you have any particular concerns relating to a product or a specific job, please give us a call and we'll do our best to provide you with the information we have so far.



Mixed Sources

Product group from well-managed
forests and other controlled sources
www.fsc.org Cert no. SCS-COC-001045
© 1996 Forest Stewardship Council