

---

# FILETTI

FLOORING

---

**ECO OUTDOOR®**

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH  
T. 1300 13 14 13 [ECOOUTDOOR.COM.AU](http://ECOOUTDOOR.COM.AU)



## TEXTURE, TONES & TRACTION

Our Filetti range uniquely reinterprets an enduring style, traditionally found in alpine regions of Europe. Typically produced in small sizes these paving units are ideal for driveways, curved paths or can be used as an accent in conjunction with other flooring materials.

By moving outside a standard lay pattern, Filetti is a great way to break up a space and play with texture. Utilising long, thin pieces of stone, Filetti is a format that's also sympathetic to bleeding natural stone into a landscape design.

Filetti performs like a lineal cobble. It has high strength properties and a textured surface, making it perfect for driveways and other non-slip graded areas. Endicott, Porphyry and Luca are all dense stones making them hard-wearing, durable and sympathetic to wear.





Endicott



Luca



Porphyry

—  
A selection of high resolution 3D textures is available at [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)




- 
- 1. Luca
  - 2. Endicott
  - 3. Porphyry
  - 4. Endicott
-

## SIZES

---


### Endicott Filetti Pieces

---



### Porphyry & Luca Filetti Pieces

---



—  
For more downloadable imagery visit [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)

<b>Endicott</b>	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>
Filetti random length paving Width 30-60mm Thickness 30-50mm	100	13
<b>Luca</b>		
Filetti random length paving Width 40-80mm Thickness 40-80mm	180	7
<b>Porphyry</b>		
Filetti random length paving Width 30-80mm Thickness 30-50mm	110	11

Given Filetti stones have variations in thickness, these products should ideally be laid on a 30mm wet mortar bed over a concrete slab. Refer to installation tips for further information. For further information, installation tips and pricing please call a showroom on 1300 13 14 13.