
LIMESTONE

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH
T. 1300 13 14 13 ECOOUTDOOR.COM.AU



NATURAL TIMELESS APPEAL

Most of our limestone range has subtle colour movement and tonal change and particular shades can be pulled out and coordinated with the associated architecture with ease. Our limestones are sourced from across the globe so our range of tiles presents varying colours and textures. All the pavers and tiles in our limestone range are ideal for use internally and externally for residential and commercial projects alike. Limestone is an ideal material to create a seamless transition from inside to out.

Each of our tiles comes in a tumbled finish to enhance the inherent characteristics of the natural stone. This aged appearance provides a real sense of history and permanency. Even newly laid stones feel as if they've been there forever. The texture and density of limestone makes it ideal for many outdoor surfaces such as pools and stairs.

Stone can be left in its raw state or it can be polished to varying degrees depending on the application. Saw-cut stone has a rough finish and is most appropriate for exterior features in garden and landscape design.





Allaro



Andorra



Arbon



Calcetta



Chalford



Colmar



Duro




Garonne



Jericho



La Roche



Miramar



Nettle



Vardo




Waldon



Winbourne



Woodford



Wyndam


A selection of high resolution 3D textures is available at www.ecooutdoor.com.au




-
1. Chalford used as a step tread internally
 2. Chalford step treads
 3. Duro pool coping
 4. Colmar pool coping
-



Tiles




Cobblestones




Coping / Step Tread


Square Edge



Rebated Square Edge



Tumbled



—
For more downloadable imagery visit www.ecooutdoor.com.au

	<i>Weight (kg/m²)</i>	<i>Packing Details (m²/crate)</i>		<i>Weight (kg/m²)</i>	<i>Packing Details (m²/crate)</i>
Allaro			Chalford		
Tiles			Random Lengths		
Modular 195-605mm, 15mm	45	15.84	400-900x610mm, 18mm	47	25
Modular 195-605mm, 30mm	90				
605x400mm, 15mm	45	15.49	Coping / Step Tread		
605x400mm, 30mm	90	33 units	Heavily Distressed		
Coping / Step Tread			900x406mm, 30mm	80	33 units
Tumbled			Colmar		
605x400mm, 30mm	90	33 units	Tiles		
Andorra			915x610mm, 20mm	50	24.56
Tiles			Coping / Step Tread		
406x74mm, 19mm	52	18.39	Square Edge		
915x610mm, 19mm	52	24.56	915x406mm, 35mm	88	31 units
Coping / Step Tread			Rebated Square Edge		
Square Edge			915x406mm, 30mm body, 75mm face	80	20 units
915x406mm, 35mm	88	31 units	Duro		
Rebated Square Edge			Tiles		
915x406mm, 30mm body, 75mm face	80	20 units	600x600mm, 18mm	60	17.64
Arbon			900x600mm, 18mm	60	16.2
Tiles			Coping / Step Tread		
Modular 252-764mm, 15mm	40	25.5	Square Edge		
764x508mm, 15mm	40	26.39	600x400mm, 30mm	90	30 units
Coping / Step Tread			900x400mm, 30mm	90	22 units
Tumbled			Rebated Square Edge		
764x406mm, 30mm	80	34 units	900x400mm, 18mm body, 75mm face	68	36 units
Calcetta			Garonne		
Random Lengths			Tiles		
400-900x610mm, 19mm	48	25	Modular		
600-900x600mm, 18mm			303x303mm - 917x610mm, 15mm	39	21.74
Coping / Step Tread			Random Lengths		
900x406mm, 30mm			406/610/810x406mm, 15mm	39	20.18
915x406mm, 30mm	32.4	33	610/915/1000x610mm, 15mm	39	21.56
915x406mm, 50mm	54	19	Coping / Step Tread		
			Tumbled		
			915x406mm, 30mm	78	37 units

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

	Weight (kg/m ²)	Packing Details (m ² /crate)		Weight (kg/m ²)	Packing Details (m ² /crate)
Jericho			Vardo		
Tiles			Tiles		
Modular 200-600mm, 11mm	35	31.68	Random Lengths		
600x600mm, 18mm			406-915x610mm, 20mm		
900x600mm, 18mm	58	32.4	Coping / Step Tread		
Cobblestones			900x400mm, 30mm		
100x100mm, 20mm			Waldon		
Coping / Step Tread			Tiles		
Tumbled			Random Lengths		
600x400mm, 30mm			406-915x610mm, 20mm		
900x400mm, 30mm	96	35 units	406-915x406/508mm, 20mm		
La Roche			Winbourne		
Tiles			Tiles		
Modular 200-600mm, 20mm	54	23.04	Random Lengths		
900x600mm, 20mm	54	27	400-800x400mm, 20mm	56	12.16
Coping / Step Tread			600-900x600mm, 20mm	56	15.78
Tumbled			Coping / Step Tread		
600x400mm, 30mm	81	50 units	900x400mm, 30mm	30.24	34
900x400mm, 30mm	81	50 units	Rebated Coping		
Nettle			900x400mm, 30mm body, 75mm face		
Random Lengths			30.96 16		
500-900x500mm, 20mm	55	19.5	Woodford		
Coping / Step Tread (Antique)			Tiles		
900x400mm, 30mm	29.24	33	Modular		
Miramar			271-817mm, 19-21mm	50	19.8
Tiles			Coping / Step Tread		
600x400mm, 20mm	56		817x406mm, 30mm	30	
600x600mm, 20mm	56	18	Wyndam		
900x600mm, 20mm	56	27	Random Lengths		
Coping / Step Tread			600-1220x610mm, 18mm		
600x400mm, 30mm	84	50 units		40	25
900x400mm, 30mm	84	34 units	Coping / Step Tread		
Rebated Coping			1000x406mm, 30mm		
Sandblasted Finish				68	33 units
900x400mm, 30mm body, 75mm face	86	16 units	Rebated Coping		
			1000x406mm, 30mm body, 75mm face		
			(30mm thick)		
				70	17 units

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

**Allaro, Arbon, Garonne, Jericho,
La Roche**

Small Modular Pattern




Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au