
LIMESTONE

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH
T. 1300 13 14 13 ECOOUTDOOR.COM.AU



NATURAL TIMELESS APPEAL

Most of our limestone range has subtle colour movement and tonal change and particular shades can be pulled out and coordinated with the associated architecture with ease. Our limestones are sourced from across the globe so our range of tiles presents varying colours and textures. All the pavers and tiles in our limestone range are ideal for use internally and externally for residential and commercial projects alike. Limestone is an ideal material to create a seamless transition from inside to out.

Each of our tiles comes in a tumbled finish to enhance the inherent characteristics of the natural stone. This aged appearance provides a real sense of history and permanency. Even newly laid stones feel as if they've been there forever. The texture and density of limestone makes it ideal for many outdoor surfaces such as pools and stairs.

Stone can be left in its raw state or it can be polished to varying degrees depending on the application. Saw-cut stone has a rough finish and is most appropriate for exterior features in garden and landscape design.





Allaro



Andorra



Arbon



Calcetta




Chalford



Colmar



Dover (Antique)



Dover (Sandblasted)



Duro




Garonne



Jericho



La Roche



Miramar



Nettle




Vardo



Waldon



Winbourne




Wyndam

A selection of high resolution 3D textures is available at www.ecooutdoor.com.au




-
- 1. Chalford used as a step tread internally
 - 2. Chalford step treads
 - 3. Duro pool coping
 - 4. Colmar pool coping
-

Tiles




Cobblestones




Coping / Step Tread


Square Edge



Rebated Square Edge



Tumbled



—
For more downloadable imagery visit www.ecooutdoor.com.au

	Weight (kg/m ²)	Packing Details (m ² /crate)		Weight (kg/m ²)	Packing Details (m ² /crate)
Allaro			Chalford		
Tiles			Random Lengths		
Modular 195-605mm, 15mm	45	15.84	400-900x610mm, 18mm	47	25
Modular 195-605mm, 30mm	90				
605x400mm, 15mm	45	15.49	Coping / Step Tread		
605x400mm, 30mm	90	33 units	Heavily Distressed		
Coping / Step Tread			900x406mm, 30mm	80	33 units
Tumbled			Colmar		
605x400mm, 30mm	90	33 units	Tiles		
Andorra			915x610mm, 20mm	50	24.56
Tiles			Coping / Step Tread		
406x74mm, 19mm	52	18.39	Square Edge		
915x610mm, 19mm	52	24.56	915x406mm, 35mm	88	31 units
Coping / Step Tread			Rebated Square Edge		
Square Edge			915x406mm, 30mm body, 75mm face	80	20 units
915x406mm, 35mm	88	31 units	Dover (Antique & Sandblasted)		
Rebated Square Edge			Tiles		
915x406mm, 30mm body, 75mm face	80	20 units	810x406mm, 12mm	32	27.7
Arbon			Random Lengths		
Tiles			400-1000x406mm, 12mm	32	26.5
Modular 252-764mm, 15mm	40	25.5	Coping / Step Tread		
764x508mm, 15mm	40	26.39	810x406mm, 30mm	80	33 units
Coping / Step Tread			Duro		
Tumbled			Tiles		
764x406mm, 30mm	80	34 units	600x600mm, 18mm	60	17.64
Calcetta			900x600mm, 18mm	60	16.2
Length Tile			Coping / Step Tread		
400-900x610mm, 19mm			Square Edge		
600-900x600mm, 18mm			600x400mm, 30mm	90	30 units
Coping / Step Tread			900x400mm, 30mm	90	22 units
900x406mm, 30mm			Rebated Square Edge		
915x406mm, 30mm			900x400mm, 18mm body, 50mm face	68	36 units
915x406mm, 50mm					

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

	Weight (kg/m ²)	Packing Details (m ² /crate)		Weight (kg/m ²)	Packing Details (m ² /crate)
Garonne			Miramar		
Tiles			Tiles		
Modular 303x303mm - 917x610mm, 15mm	39	21.74	600x400mm, 20mm	56	
			600x600mm, 20mm	56	18
			900x600mm, 20mm	56	27
Random Lengths			Coping / Step Tread		
406/610/810x406mm, 15mm	39	20.18	600x400mm, 30mm	84	50 units
610/915/1000x610mm, 15mm	39	21.56	900x400mm, 30mm	84	34 units
Coping / Step Tread			Rebated Coping		
Tumbled			Sandblasted Finish		
915x406mm, 30mm	78	37 units	900x400mm, 30mm body, 75mm face	86	16 units
Jericho			Vardo & Waldon		
Tiles			Tiles		
Modular 200-600mm, 11mm	35	31.68	Random Lengths		
600x600mm, 18mm			300-900x600mm, 20mm		
900x600mm, 18mm	58	32.4	Coping / Step Tread		
Cobblestones			900x400mm, 30mm		
100x100mm, 20mm			Winbourne		
Coping / Step Tread			Tiles		
Tumbled			Random Lengths		
600x400mm, 30mm			400-800x400mm, 20mm	56	
900x400mm, 30mm	96	35 units	600-900x600mm, 20mm	56	
La Roche			Coping / Step Tread		
Tiles			900x400mm, 30mm		
Modular 200-600mm, 20mm	54	23.04	Rebated Coping		
900x600mm, 20mm	54	27	900x400mm, 30mm body, 75mm face		
Coping / Step Tread			Wyndam		
Tumbled			Random Lengths		
600x400mm, 30mm	81	50 units	600-1220x610mm, 18mm		
900x400mm, 30mm	81	50 units	40		
Nettle			25		
Random Lengths			Coping / Step Tread		
500-900x500mm, 20mm	55	19.5	1000x406mm, 30mm		
Coping / Step Tread (Antique)			Rebated Coping		
900x400mm, 30mm	29	33	1000x406mm, 20mm body, 75mm face (30mm thick)		
			70		
			17 units		

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

**Allaro, Arbon, Garonne, Jericho,
La Roche**

Small Modular Pattern




Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au