
SANDSTONE

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH
T. 1300 13 14 13 ECOOUTDOOR.COM.AU



GENTLE & TACTILE UNDERFOOT

Sandstone is a classic building material that has been used in construction since prehistoric times and is especially celebrated in Australian architecture. Our sandstone flooring options present an aged, distressed hand finish for a tactile feel underfoot.

The sedimentary layers of sandstone pavers present a unique and varied colour profile which can be very forgiving as the natural material ages and adds to the individual personality of each paver.

Our Sandstone range complements both traditional and modern designs and are developed to bring out their natural colour tones and character.







Beauford



Bolzano



Brannon



Bullen



Dax



Iluka



Marcoola



Mowbray



Osprey




Tonnay



Toolara


—
A selection of high resolution 3D textures is available at www.ecooutdoor.com.au



-
1. Bolzano pool coping
 2. Sandstone steppers
 3. Beauford
 4. Marcoola step treads
-


SIZES

Tiles




Coping / Step Tread

Heavily Distressed



Crazy Paving



—
For more downloadable imagery visit www.ecooutdoor.com.au

	<i>Weight (kg/m²)</i>	<i>Packing Details (m²/crate)</i>		<i>Weight (kg/m²)</i>	<i>Packing Details (m²/crate)</i>
Beauford			Marcoola		
Random Lengths 400-900x406/500mm, 19-22mm	50	18	Tiles 1000x500mm, 30mm 1000x1000mm, 30mm		
Coping / Step Tread Heavily Distressed 900x406mm, 30mm	80	33 units	Coping / Step Tread 1000x400mm, 50mm		
Bolzano			Crazy Paving Irregular crazy paving, 30mm and 50mm		
Irregular crazy paving, 30mm	75		Mowbray		
Brannon, Bullen & Osprey			Irregular crazy paving, 30mm and 50mm		
Irregular crazy paving, 30mm	75		Toolara		
Modular 252-764mm, 30mm	75		Random Lengths 400-900x600mm, 18mm	50	18
Dax and Tonnyay			Coping / Step Tread Heavily Distressed 900x400mm, 30mm	84	33 units
Random Lengths 400-900x400/500mm, 19-22mm	50	18			
Coping / Step Tread Heavily Distressed 900x406mm, 50mm	125	20 units			
Illuka					
Tiles 1000x500mm, 30mm					
Coping / Step Tread 1000x400mm, 50mm					

The nature of sandstone offers a natural colour variation in both shade and pattern (call into a showroom to see large format displays which show this variation). For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

Brannon, Bullen, Osprey

Small Modular Pattern




Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



For more downloadable imagery visit www.ecooutdoor.com.au