
LIMESTONE

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH
T. 1300 13 14 13 ECOOUTDOOR.COM.AU

NATURAL TIMELESS APPEAL

Most of our limestone range has subtle colour movement and tonal change and particular shades can be pulled out and coordinated with the associated architecture with ease. Our limestones are sourced from across the globe so our range of tiles presents varying colours and textures. All the pavers and tiles in our limestone range are ideal for use internally and externally for residential and commercial projects alike. Limestone is an ideal material to create a seamless transition from inside to out.

Each of our tiles comes in a tumbled finish to enhance the inherent characteristics of the natural stone. This aged appearance provides a real sense of history and permanency. Even newly laid stones feel as if they've been there forever. The texture and density of limestone makes it ideal for many outdoor surfaces such as pools and stairs.

Stone can be left in its raw state or it can be polished to varying degrees depending on the application. Saw-cut stone has a rough finish and is most appropriate for exterior features in garden and landscape design.





Andorra



Arbon



Calcetta



Chalford



Colmar



Duro



Garonne



Jericho



La Roche



Linton



Nettle



Rhone




Sarelle



Winbourne



Woodford




Wyndam

A selection of high resolution 3D textures is available at www.ecooutdoor.com.au




-
- 1. Chalford used as a step tread internally
 - 2. Chalford step treads
 - 3. Duro pool coping
 - 4. Colmar pool coping
-

Tiles




Cobblestones




Coping / Step Tread


Square Edge



Rebated Square Edge



Tumbled



—
For more downloadable imagery visit www.ecooutdoor.com.au

	Weight (kg/m ²)	Packing Details (m ² /crate)		Weight (kg/m ²)	Packing Details (m ² /crate)
Andorra (Brushed)			Colmar (Brushed and Deep Brushed)		
Tiles			Tiles		
74x406mm, 19mm	55	16.52	610x915mm, 20mm	52	24.56
610x915mm, 19mm	55	27.9			
Coping / Step Tread			Coping / Step Tread		
406x915mm, 35mm	30	33 units	406x915mm, 35mm	33	31 units
406x915mm, 50mm	47	20 units	406x915mm, 50mm	48	22 units
Rebated Square Edge			Rebated Square Edge		
406x915mm, 30mm body, 75mm face	34	17 units	406x915mm, 30mm body, 75mm face	33	20 units
Arbon (Tumbled)			Duro (Sandblasted)		
Tiles			Tiles		
Modular 252-764mm, 15mm	40	25.5	406x610mm, 20mm	53	24
508x764mm, 15mm	40	26.39	610x610mm, 20mm	53	18
			610x915mm, 20mm	53	27
Coping / Step Tread			Coping / Step Tread		
406x764mm, 30mm	24	34 units	406x610mm, 30mm	19	66 units
406x764mm, 50mm	44	20 units	406x915mm, 30mm	29	34 units
			406x915mm, 50mm	50	20 units
			Rebated Square Edge		
			406x915mm, 30mm body, 75mm face	34	19 units
Calcetta (Distressed)			Garonne (Sandblasted & Brushed and Tumbled)		
Tiles			Tiles		
Random lengths			Modular 303-917mm, 15mm	39	21.74
610x406-915mm, 19mm	50	25	406x812mm, 20mm	55	16.48
			812x812mm, 20mm	55	26.37
			Random lengths		
			406x406/610/810mm, 15mm	39	20.18
			610x610/915/1016mm, 15mm	39	21.56
Coping / Step Tread			Coping / Step Tread		
406x915mm, 30mm	30	33 units	406x812mm, 30mm	25	34 units
406x915mm, 50mm	45	20 units	406x812mm, 50mm	47	20 units
			406x915mm, 30mm	29	37 units
			406x915mm, 50mm	53	22 units
			Large Step Tread		
			350x1016mm, 150mm (Picked & Tumbled)	123	7 units
			350x1016mm, 150mm (Tumbled)	123	7 units
			Rebated Square Edge		
			406x812mm, 30mm body, 75mm face	27	18 units
Chalford (Heavily Distressed)					
Tiles					
Random lengths					
610x406-915mm, 19-21mm	55	25			
Coping / Step Tread					
406x915mm, 30mm	30	33 units			
406x915mm, 50mm	47	20 units			

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

	Weight (kg/m ²)	Packing Details (m ² /crate)		Weight (kg/m ²)	Packing Details (m ² /crate)
Jericho (Tumbled)			Rhone (Sandblasted and Sandblasted & Brushed)		
Tiles			Tiles		
Modular 200-600mm, 11mm	29	36	Random lengths		
600x600mm, 18mm	47	21.6	406x406-812mm, 20mm	61	19.5
600x900mm, 18mm	47	29.7	406x812mm, 20mm	61	16.5
Coping / Step Tread			Coping / Step Tread		
400x600mm, 30mm	19	64 units	406x812mm, 30mm	25.7	20 units
400x900mm, 30mm	28	50 units	406x812mm, 50mm	48	8 units
La Roche (Tumbled)			Sarelle (Lightly Distressed)		
Tiles			Tiles		
Modular 203-610mm, 20mm	54	23	Random lengths		
610x915mm, 20mm	54	27	406x406-915mm, 18mm	50	17.8
Coping / Step Tread			Coping / Step Tread		
406x610mm, 30mm	19.5	50 units	406x812mm, 18mm	50	18.13
406x915mm, 30mm	29	33 units	Coping / Step Tread		
406x915mm, 50mm	48	33 units	406x812mm, 30mm	27	33 units
Linton (Lightly Distressed)			Winbourne (Heavily Distressed)		
Tiles			Tiles		
Random lengths			Random lengths		
406x406-915mm, 18mm	50	17.8	406x406-812mm, 20mm	55	12 (6m ² x2)
406x812mm, 18mm	50	18.13	610x610-915mm, 20mm	55	21.68
Coping / Step Tread			Coping / Step Tread		
406x812mm, 30mm	27	33 units	406x915mm, 30mm	30	34 units
406x812mm, 50mm	43	22 units	406x915mm, 50mm	50	20 units
Nettle (Heavily Distressed)			Wyndam (Antique Brushed)		
Tiles			Tiles		
Random lengths			Random lengths		
500x508-915mm, 20mm	61	21 (7m ² x3)	203/305/406x300-800mm, 18-19mm	50	25
Coping / Step Tread			Coping / Step Tread		
406x915mm, 30mm	29	36 units	610x610-1220mm, 19mm	50	25
406x915mm, 50mm	48	20 units	Coping / Step Tread		
			Coping / Step Tread		
			406x1016mm, 30mm	35	33 units
			406x1016mm, 50mm	58	20 units
			Rebated Square Edge		
			406x1016mm, 30 body, 75mm face	37	17 units

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

Woodford (<i>Heavily Distressed</i>)	<i>Weight</i> (kg/m ²)	<i>Packing Details</i> (m ² /crate)
Tiles		
Modular 271-817mm, 19-21mm	50	20 (4m ² x5)
Coping / Step Tread		
406x817mm, 30mm	26	35 units
406x817mm, 50mm	50	20 units

Modular pattern tiles come in pre-mixed crates.
Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.
605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.
For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

Arbon, Garonne, Jericho, La Roche

Small Modular Pattern




Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au

Woodford

Small Modular Pattern




Ratio	Sizes
3	A
4	B
2	C
4	D
4	E
2	F
3	G

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au