

---

# SPLIT STONE

FLOORING

---

**ECO OUTDOOR®**

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH  
T. 1300 13 14 13 ECOOUTDOOR.COM.AU

## WORKING WITH THE STRATIFICATION LAYERS

For our Split Stone range of products, we follow the stratification layers and work with the natural formation of the stone. The material is hand-split, revealing these natural layers to unearth the terra history of each individual stone and show the appeal of the raw material.


Following the stratification layer brings greater strength through compaction as well as a flat, non-slip, surface - making it ideal for use around pools and on pathways or driveways. Having a thin profile, these products can be used in many situations, especially where depth of tile is an issue such as balconies or when renovating an interior where there is limited set down.

Our Split Stone range presents an economical natural stone option that's easy to maintain, making it a great choice for both commercial and residential projects. Modular patterns can incorporate large format tiles in a cost-effective way.





Abyss



Atlantic



Endicott®



Lichen



Luca

—  
A selection of high resolution 3D textures is available at [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)



- 
- 1. Abyss used internally and externally
  - 2. Endicott® [Hand Chipped]
  - 3. Luca Baguette
  - 4. Endicott® [Hand Chipped]
- 




## SIZES

---


Tiles

---




Cobblestones

---




Crazy Paving

---




Filetti

---



Coping / Step Tread

---



For more downloadable imagery visit [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)

<b>Endicott®</b>	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>	<b>Luca</b>	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>
<b>Tiles, Hand Chipped</b> 300-800mm x 300-800mm, 25-40mm	75	15	<b>Tiles, Hand Chipped</b> Random Length Paving 500/600/700mm x 20-50 mm	90	14.4
<b>Tiles, Sawn</b> Random Length Paving Set widths 200/300/400/500mm Thickness 10-30mm	60	20	<b>Cobblestone</b> 40-60mm x 40-60mm, 40-60mm 100x100mm, 40-60mm Split finish on all six sides	110 110	11 11.11
<b>Cobblestone</b> 100x100mm, 30-50mm Random Length 100-200mm Width 100mm Thickness 30-50mm Split finish on all six sides	100 100	8 10	<b>Crazy Paving</b> Irregular Crazy Paving 20-40mm	80	16
<b>Filetti</b> Random Length Paving Width 30-60mm Thickness 30-80mm Random Length Baguette Width 40-80mm Thickness 30-70mm Split finish on all six sides, tumbled	75 90	12 13	<b>Filetti</b> Random Length Paving Width 40-80mm Thickness 40-80mm	180	7
<b>Crazy Paving</b> Irregular Crazy Paving 15-30mm	50	15	<b>Coping / Step Tread</b> 406x1016mm, 30mm 406x1016mm, 50mm	33 55	30 units 15 units
<b>Coping / Step Tread</b> Bush Hammered 350x600mm, 25-35mm	90	39 units			

Due to variance in thickness these products should be laid on a 25mm wet mortar bed over a concrete slab.  
Refer to installation tips for further information.  
For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

---

<b>Abyss, Atlantic, Lichen</b>	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>
<b>Tiles</b>		
195x195mm, 12mm	34	44.26
195x400mm, 12mm	34	40.87
400x400mm, 12mm	34	44.16
400x600mm, 10mm (Atlantic only)	29	53.24
400x605mm, 10mm (excl. Atlantic)	29	53.24
400x810mm, 12mm	34	42.77
810x810mm, 12mm	34	43.3
Random Length (excl. Atlantic)		
50-200mm x 300-800mm, 10mm	29	10

---

Custom sizes can also be produced on request.

Given these tiles are calibrated and are relatively consistent in thickness, they can be laid with a tile adhesive over a concrete slab. Refer to installation tips for further information.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

## Abyss, Atlantic, Lichen

### 810 Large Modular Pattern



Ratio for 10m <sup>2</sup>	Sizes
20	A – 195 x 195
20	B – 195 x 400
17	C – 400 x 400
9	D – 400 x 810
3	E – 810 x 810

This pattern can be interlocked from all sides.

All tile sizes can be used separately or in varying combinations.

Tile sizes have been designed to align when using a 7-10mm grout joint.

For a download of this pattern refer to our website.



—

For more downloadable imagery visit [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)






## Abyss and Lichen

### Small Modular Pattern

Ratio	Sizes
4	A – 195 x 195
2	B – 195 x 400
4	C – 400 x 400
2	D – 400 x 605

This pattern can be interlocked from all sides.  
 All tile sizes can be used separately  
 or in varying combinations.  
 Tile sizes have been designed to align  
 when using a 7-10mm grout joint.  
 For a download of this pattern refer  
 to our website.



—

For more downloadable imagery visit [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)