
BLUESTONE

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH
T. 1300 13 14 13 ECOOUTDOOR.COM.AU



VERSATILITY OFFERS POTENTIAL FOR EVERY PROJECT

Bluestone has a strong tradition in both Australian and European architecture, and is used in residential and commercial projects alike. The character of the stone is evident throughout the raw material, with cat paws and natural imperfections

Our Bluestone offering is flexible and versatile, meaning we can collaborate with clients to achieve bespoke, one-off custom designs. The variety of textures that bluestone is available in allows for continuity from inside to out with a solution for almost any area while its neutral tones enable it to work well with any colour palette whilst still having a life of its own.

Bluestone is dense and durable, making it effective for high-traffic flooring settings such as driveways and pool surrounds.



COLOUR RANGES




Bluestone




Heron



Honeycomb Bluestone



Pacific Bluestone




Torino

TEXTURES



Antique



Brushed
(Torino only)



Bush Hammered



Heavily Distressed




Honed



Sawn


—
A selection of high resolution 3D textures is available at www.ecooutdoor.com.au




-
1. Bluestone [Honed]
 2. Bluestone [Custom water feature, Square Edge Coping]
 3. Honeycomb Bluestone [Square Edge Coping]
 4. Bluestone [Square Edge Step Tread]
 5. Bluestone [Rebated Coping]
 6. Bluestone [Organic Steppers]
 7. Bluestone [Rebated Coping]
-

SIZES


Tiles



Crazy Paving




Organic Steppers




Various sizes

Cobblestones




Coping / Step Tread


Single Bullnose



Square Edge



Rebated Square Edge



—
For more downloadable imagery visit www.ecooutdoor.com.au

Bluestone & Honeycomb Bluestone	<i>Weight (kg/m²)</i>	<i>Packing Details (m²/crate)</i>	Torino	<i>Weight (kg/m²)</i>	<i>Packing Details (m²/crate)</i>
Tiles			Tiles		
500x500mm, 20mm			700x700mm, 20mm	50	23.52
600x300mm, 20mm			Coping / Step Tread		
800x400mm, 20mm	60	16	Square Edge 700x400mm, 30mm	75	64 units
1000x500mm, 30mm	90	13	Rebated Square Edge		
Crazy Paving			700x400mm, 22mm body, 75mm face	64.25	20 units
Various sizes: 20mm	60	20	Heron		
Organic Steppers: 30mm	90		Tiles		
Cobblestone			400x400mm, 20mm		
100x100mm, 20mm			500x500mm, 20mm		
Split 5 sides, sawn bottom			600x300mm, 20mm		
100x100mm, 30mm			600x600mm, 20mm		
Bush Hammered top surface, split sides, sawn bottom			800x400mm, 20mm	61	16
100x100mm, 40mm			1200x600mm, 20mm		
Split 6 sides			Coping / Step Tread		
Coping / Step Tread			Single Bullnose		
Bullnose / Square Edge			500x350mm, 30mm		
500x350mm, 30mm			600x350mm, 30mm		
600x350mm, 30mm			800x400mm, 30mm	92	33 units
800x400mm, 30mm			1200x400mm, 30mm		
1000x400mm, 30mm			Square Edge		
Rebated Square Edge			500x350mm, 30mm		
600x400mm, 20mm body, 60mm face			600x350mm, 30mm		
800x400mm, 20mm body, 60mm face			800x400mm, 30mm		
800x400mm, 30mm body, 75mm face			1200x400mm, 30mm		
1000x400mm, 30mm body 75mm face			Rebated Square Edge		
Pacific Bluestone			600x400mm, 20mm body, 60mm face		
Tiles			800x400mm, 20mm body, 60mm face	67	24 units
603x400mm, 20mm	56	21.53	800x400mm, 30mm body, 75mm face	102	20 units
Step Tread					
603x400mm, 30mm	84	66 units			
Modular Pattern					
197 x 197mm, 20mm	56	21.53			
197 x 400mm, 20mm					
400 x 400mm, 20mm					
603 x 400mm, 20mm					

These sizes are a range guide only as we tend to custom manufacture as per project requirements. Given the high level of dimensional accuracy, typically these tiles can be laid with a suitable tile adhesive. Refer to installation tips for further information. Alternative textures can also be created for a project. Tile thickness requirements may be affected by the surface texture selected. For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

Pacific Bluestone

Modular Pattern




Ratio	Sizes
2	197 x 197mm, 20mm
1	197 x 400mm, 20mm
2	400 x 400mm, 20mm
1	603 x 400mm, 20mm

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au