
LIMESTONE

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH
T. 1300 13 14 13 ECOOUTDOOR.COM.AU



NATURAL TIMELESS APPEAL

Most of our limestone range has subtle colour movement and tonal change and particular shades can be pulled out and coordinated with the associated architecture with ease. Our limestones are sourced from across the globe so our range of tiles presents varying colours and textures. All the pavers and tiles in our limestone range are ideal for use internally and externally for residential and commercial projects alike. Limestone is an ideal material to create a seamless transition from inside to out.

Each of our tiles comes in a tumbled finish to enhance the inherent characteristics of the natural stone. This aged appearance provides a real sense of history and permanency. Even newly laid stones feel as if they've been there forever. The texture and density of limestone makes it ideal for many outdoor surfaces such as pools and stairs.

Stone can be left in its raw state or it can be polished to varying degrees depending on the application. Saw-cut stone has a rough finish and is most appropriate for exterior features in garden and landscape design.





Allaro



Andorra



Arbon




Chalford



Colmar



Dover (Antique)



Dover (Sandblasted)



Duro




Garonne



Jericho



La Roche



Miramar



Nettle




Vardo



Waldon



Winbourne




Wyndam

—
A selection of high resolution 3D textures is available at www.ecooutdoor.com.au




-
- 1. Chalford used as a step tread internally
 - 2. Chalford step treads
 - 3. Duro pool coping
 - 4. Colmar pool coping
-

Tiles




Cobblestones




Coping / Step Tread


Square Edge



Rebated Square Edge



Tumbled



—
For more downloadable imagery visit www.ecooutdoor.com.au

	Weight (kg/m ²)	Packing Details (m ² /crate)		Weight (kg/m ²)	Packing Details (m ² /crate)
Allaro			Colmar		
Tiles			Tiles		
Modular 195-605mm, 15mm	45	15.84	915x610mm, 20mm	50	24.56
Modular 195-605mm, 30mm	90		Coping / Step Tread		
605x400mm, 15mm	45	15.49	Square Edge		
605x400mm, 30mm	90	33 units	915x406mm, 35mm	88	31 units
Coping / Step Tread			Rebated Square Edge		
Tumbled			915x406mm, 30mm body, 75mm face	80	20 units
605x400mm, 30mm	90	33 units	Dover (Antique & Sandblasted)		
Andorra			Tiles		
Tiles			810x406mm, 12mm	32	27.7
406x74mm, 19mm	52	18.39	Random Lengths		
915x610mm, 19mm	52	24.56	400-1000x406mm, 12mm	32	26.5
Coping / Step Tread			Coping / Step Tread		
Square Edge			810x406mm, 30mm	80	33 units
915x406mm, 35mm	88	31 units	Duro		
Rebated Square Edge			Tiles		
915x406mm, 30mm body, 75mm face	80	20 units	600x600mm, 18mm	60	17.64
Arbon			900x600mm, 18mm	60	16.2
Tiles			Coping / Step Tread		
Modular 252-764mm, 15mm	40	25.5	Square Edge		
764x508mm, 15mm	40	26.39	600x400mm, 30mm	90	30 units
Coping / Step Tread			900x400mm, 30mm	90	22 units
Tumbled			Rebated Square Edge		
764x406mm, 30mm	80	34 units	900x400mm, 18mm body, 50mm face	68	36 units
Chalford			Garonne		
Random Lengths			Tiles		
400-900x610mm, 18mm	47	25	Modular		
Coping / Step Tread			303x303mm - 917x610mm, 15mm	39	21.74
Heavily Distressed			Random Lengths		
900x406mm, 30mm	80	33 units	406/610/810x406mm, 15mm	39	20.18
Colmar			610/915/1000x610mm, 15mm	39	21.56
Coping / Step Tread			Coping / Step Tread		
Tumbled			Tumbled		
915x406mm, 30mm	78	37 units	915x406mm, 30mm	78	37 units

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

	Weight (kg/m ²)	Packing Details (m ² /crate)		Weight (kg/m ²)	Packing Details (m ² /crate)
Jericho			Vardo & Waldon		
Tiles			Tiles		
Modular 200-600mm, 11mm	35	31.68	Random Lengths		
600x600mm, 18mm			300-900x600mm, 20mm		
900x600mm, 18mm	58	32.4			
Cobblestones			Coping / Step Tread		
100x100mm, 20mm			900x400mm, 30mm		
Coping / Step Tread			Winbourne		
Tumbled			Tiles		
600x400mm, 30mm			Random Lengths		
900x400mm, 30mm	96	35 units	400-800x400mm, 20mm	56	
			600-900x600mm, 20mm	56	
La Roche			Coping / Step Tread		
Tiles			900x400mm, 30mm	30.29	
Modular 200-600mm, 20mm	54	23.04	Rebated Coping		
900x600mm, 20mm	54	27	900x400mm, 30mm body, 75mm face	30.96	
Coping / Step Tread			Wyndam		
Tumbled			Random Lengths		
600x400mm, 30mm	81	50 units	600-1220x610mm, 18mm	40	25
900x400mm, 30mm	81	50 units	Coping / Step Tread		
Miramar			1000x406mm, 30mm	68	33 units
Tiles			Rebated Coping		
600x400mm, 20mm	56		1000x406mm, 20mm body, 75mm face	70	17 units
600x600mm, 20mm	56	18	(30mm thick)		
900x600mm, 20mm	56	27	Coping / Step Tread		
Coping / Step Tread			600x400mm, 30mm	84	50 units
600x400mm, 30mm	84	50 units	900x400mm, 30mm	84	34 units
Rebated Coping			Nettle		
Sandblasted Finish			Random Lengths		
900x400mm, 30mm body, 75mm face	86	16 units	500-900x500mm, 20mm	55	19.5
Nettle			Coping / Step Tread (Antique)		
Random Lengths			900x400mm, 30mm	29	33
500-900x500mm, 20mm	55	19.5			
Coping / Step Tread (Antique)					
900x400mm, 30mm	29	33			

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

**Allaro, Arbon, Garonne, Jericho,
La Roche**

Small Modular Pattern




Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au