

---

# SANDSTONE

FLOORING

---

**ECO OUTDOOR®**

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH  
T. 1300 13 14 13 ECOOUTDOOR.COM.AU



## GENTLE & TACTILE UNDERFOOT

Sandstone is a classic building material that has been used in construction since prehistoric times and is especially celebrated in Australian architecture. Our sandstone flooring options present an aged, distressed hand finish for a tactile feel underfoot.

The sedimentary layers of sandstone pavers present a unique and varied colour profile which can be very forgiving as the natural material ages and adds to the individual personality of each paver.

Our Sandstone range complements both traditional and modern designs and are developed to bring out their natural colour tones and character.







Beauford



Bolzano



Brannon



Bullen



Camelhaas



Dax



Iluka



Marcoola



Mowbray



Osprey




Tonnyay



Toolara

—  
A selection of high resolution 3D textures is available at [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)




- 
1. Bolzano pool coping
  2. Sandstone steppers
  3. Beauford
  4. Marcoola step treads
-

## SIZES

---

### Tiles


---



### Coping / Step Tread


---

Heavily Distressed



### Crazy Paving

---



For more downloadable imagery visit [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)

	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>		<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>
<b>Beauford</b>			<b>Illuka</b>		
<b>Random Lengths</b> 400-900x406/500mm, 19-22mm	50	18	<b>Tiles</b> 1000x500mm, 30mm		
<b>Coping / Step Tread</b> Heavily Distressed 900x406mm, 30mm	80	33 units	<b>Coping / Step Tread</b> 1000x400mm, 50mm		
<b>Bolzano</b>			<b>Marcoola</b>		
Irregular crazy paving, 30mm	75		<b>Tiles</b> 1000x500mm, 30mm 1000x1000mm, 30mm		
<b>Brannon, Bullen &amp; Osprey</b>			<b>Coping / Step Tread</b> 1000x400mm, 50mm		
Irregular crazy paving, 30mm	75		<b>Crazy Paving</b> Irregular crazy paving, 30mm and 50mm		
Modular 252-764mm, 30mm	75		<b>Mowbray</b>		
<b>Camelhaas</b>			Irregular crazy paving, 30mm and 50mm		
<b>Tiles</b> Modular 271-817mm, 19-21mm	50	19.8	<b>Toolara</b>		
<b>Coping / Step Tread</b> 817x406mm, 30mm	30		<b>Random Lengths</b> 400-900x600mm, 18mm	50	18
<b>Dax and Tonny</b>			<b>Coping / Step Tread</b> Heavily Distressed 900x400mm, 30mm	84	33 units
<b>Random Lengths</b> 400-900x400/500mm, 19-22mm	50	18			
<b>Coping / Step Tread</b> Heavily Distressed 900x406mm, 50mm	125	20 units			




The nature of sandstone offers a natural colour variation in both shade and pattern (call into a showroom to see large format displays which show this variation). For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

**Brannon, Bullen, Osprey**

**Small Modular Pattern**

Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.  
This pattern can be interlocked from all sides.  
For a download of this pattern refer to website.  
For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



For more downloadable imagery visit [www.ecooutdoor.com.au](http://www.ecooutdoor.com.au)