
LIMESTONE

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH
T. 1300 13 14 13 ECOOUTDOOR.COM.AU

NATURAL TIMELESS APPEAL

Most of our limestone range has subtle colour movement and tonal change and particular shades can be pulled out and coordinated with the associated architecture with ease. Our limestones are sourced from across the globe so our range of tiles presents varying colours and textures. All the pavers and tiles in our limestone range are ideal for use internally and externally for residential and commercial projects alike. Limestone is an ideal material to create a seamless transition from inside to out.

Each of our tiles comes in a tumbled finish to enhance the inherent characteristics of the natural stone. This aged appearance provides a real sense of history and permanency. Even newly laid stones feel as if they've been there forever. The texture and density of limestone makes it ideal for many outdoor surfaces such as pools and stairs.

Stone can be left in its raw state or it can be polished to varying degrees depending on the application. Saw-cut stone has a rough finish and is most appropriate for exterior features in garden and landscape design.





Andorra



Arbon



Calcetta



Chalford



Colmar



Dover



Duro



Garonne




La Roche



Linton



Nettle



Rhone




Sarelle



Winbourne



Woodford




Wyndam

A selection of high resolution 3D textures is available at www.ecooutdoor.com.au




-
- 1. Chalford used as a step tread internally
 - 2. Chalford step treads
 - 3. Duro pool coping
 - 4. Colmar pool coping
-

Tiles




Cobblestones




Coping / Step Tread


Square Edge



Rebated Square Edge



Tumbled



—
For more downloadable imagery visit www.ecooutdoor.com.au

Andorra	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Tiles		
74x406mm, 19mm	55	16.52m ²
610x915mm, 19mm	55	27.9m ²
Coping / Step Tread		
406x915mm, 35mm	30	33 units
406x915mm, 50mm	47	20 units
Rebated Square Edge 406x915mm, 30mm body, 75mm face	34	17 units

Arbon		
Tiles		
Modular 252-764mm, 15mm	40	25.5m ²
508x764mm, 15mm	40	26.39m ²
Coping / Step Tread		
406x764mm, 30mm	24	34 units
406x764mm, 50mm	44	20 units

Calcetta		
Tiles		
Random lengths		
610x406-915mm, 19mm	50	25m ²
Coping / Step Tread		
406x915mm, 30mm	30	33 units
406x915mm, 50mm	45	20 units

Chalford		
Tiles		
Random lengths		
610x406-915mm, 19-21mm	55	25m ²
Coping / Step Tread		
406x915mm, 30mm	30	33 units
406x915mm, 50mm	47	20 units

Colmar	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Tiles		
610x915mm, 20mm	52	24.56m ²
Coping / Step Tread		
406x915mm, 35mm	33	31 units
406x915mm, 50mm	48	22 units
Rebated Square Edge 406x915mm, 30mm body, 75mm face	33	20 units

Dover		
Tiles		
Random lengths		
406x406-1016mm, 18mm	50	17.8m ²
406x812mm, 18mm	50	18.08m ²
Coping / Step Tread		
406x812mm, 30mm	27.5	33 units
406x812mm, 50mm	46	22 units

Duro		
Tiles		
406x610mm, 20mm	53	24.8m ²
610x610mm, 20mm	53	18.6m ²
610x915mm, 20mm	53	27.9m ²
Coping / Step Tread		
406x610mm, 30mm	19	66 units
406x915mm, 30mm	29	34 units
406x915mm, 50mm	50	20 units
Rebated Square Edge 406x915mm, 30mm body, 75mm face	34	19 units

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>		<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Garonne			Nettle		
Tiles			Tiles		
Modular 303-917mm, 15mm	39	21.74m ²	Random lengths		
406x812mm, 20mm	55	16.48m ²	500x508-915mm, 20mm	60	21 (3x7m ²)
812x812mm, 20mm	55	26.37m ²			
Random lengths					
406x406/610/810mm, 15mm	39	20.18m ²	Coping / Step Tread		
610x610/915/1016mm, 15mm	39	21.56m ²	406x915mm, 30mm	29	36 units
			406x915mm, 50mm	48	20 units
Coping / Step Tread			Rhone		
406x812mm, 30mm	25	34 units	Tiles		
406x812mm, 50mm	47	20 units	Random lengths		
406x915mm, 30mm	29	37 units	406x406-812mm, 20mm	61	19.5m ²
406x915mm, 50mm	53	22 units	406x812mm, 20mm	61	16.5m ²
Large Step Tread			Coping / Step Tread		
350x1016mm, 150mm (Antique)	123	7 units	406x812mm, 30mm	26	30 units
350x1016mm, 150mm (Tumbled)	123	7 units	406x812mm, 50mm	48	8 units
Rebated Square Edge			Sarelle		
406x812mm, 30mm body, 75mm face	27	18 units	Tiles		
			Random lengths		
La Roche			406x406-915mm, 18mm	50	17.06m ²
Tiles			406x812mm, 18mm	50	18.13m ²
Modular 203-610mm, 20mm	54	23m ²	Coping / Step Tread		
610x915mm, 20mm	54	27m ²	406x812mm, 30mm	27	33 units
Coping / Step Tread			406x812mm, 50mm	43	22 units
406x610mm, 30mm	19.5	50 units	Winbourne		
406x915mm, 30mm	29	33 units	Tiles		
406x915mm, 50mm	48	33 units	Random lengths		
Linton			406x406-812mm, 20mm	56	12 (2x6m ²)
Tiles			610x610-915mm, 20mm	56	21.68m ²
Random lengths			Coping / Step Tread		
406x406-915mm, 18mm	50	17.06m ²	406x915mm, 30mm	30	34 units
406x812mm, 18mm	50	18.13m ²	406x915mm, 50mm	50	20 units
Coping / Step Tread					
406x812mm, 30mm	27	33 units			
406x812mm, 50mm	43	22 units			

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

Wyndam	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Tiles		
Random lengths		
203/305/406x300-800mm, 18-19mm	50	25m ²
610x610-1220mm, 19mm	50	25m ²
Coping / Step Tread		
406x1016mm, 30mm	35	33 units
406x1016mm, 50mm	58	20 units
Rebated Square Edge		
406x1016mm, 30 body, 75mm face	37	17 units
Woodford		
Tiles		
Modular 271-817mm, 19-21mm	50	20 (4x5m ²)
Coping / Step Tread		
406x817mm, 30mm	26	35 units
406x817mm, 50mm	50	20 units

Modular pattern tiles come in pre-mixed crates.

Tiles are ideally best laid on a tile adhesive over a concrete slab. Refer to installation tips for further information.

605x400mm and 764x500mm tiles can be cut on-site for use as vertical risers when installing step treads.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

Arbon, Garonne, La Roche

Small Modular Pattern




Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au

Woodford

Small Modular Pattern




Ratio	Sizes
3	A
4	B
2	C
4	D
4	E
2	F
3	G

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au