
SANDSTONE

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

MELBOURNE SYDNEY BRISBANE ADELAIDE PERTH
T. 1300 13 14 13 ECOOUTDOOR.COM.AU

GENTLE & TACTILE UNDERFOOT

Sandstone is a classic building material that has been used in construction since prehistoric times and is especially celebrated in Australian architecture. Our sandstone flooring options present an aged, distressed hand finish for a tactile feel underfoot.

The sedimentary layers of sandstone pavers present a unique and varied colour profile which can be very forgiving as the natural material ages and adds to the individual personality of each paver.

Our sandstone range complements both traditional and modern designs and are developed to bring out their natural colour tones and character.






Beauford



Bolzano®



Brannon



Bullen



Camelhaas



Osprey



Toolara


—
A selection of high resolution 3D textures is available at www.ecooutdoor.com.au



-
1. Beauford and Toolara pool coping
 2. Sandstone steppers
 3. Beauford
 4. Osprey
-


SIZES

Tiles




Coping / Step Tread

Heavily Distressed



Crazy Paving



For more downloadable imagery visit www.ecooutdoor.com.au

	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>		<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Beauford			Camelhaas		
Random Lengths			Tiles		
406/500x406-915mm, 19-22mm	50	18m ²	Modular 271-817mm, 19-21mm	46	20m ² (4x5m ²)
Crazy Paving			Coping / Step Tread		
Irregular crazy paving, 20mm	49	16m ²	406x817mm, 30mm	26	35 units
Coping / Step Tread			406x817mm, 50mm	45	20 units
406x915mm, 30mm	30	33 units	Toolara		
406x915mm, 50mm	45	20 units	Random Lengths		
Rebated Square Edge			600x400-900mm, 18mm	48	25m ²
350x1200mm, 40mm body, 170mm face	45	8 units	Coping / Step Tread		
Large Step Tread			400x900mm, 30mm	26	35 units
350x1000mm, 150mm (Antique)	125	7 units	400x900mm, 50mm	45	20 units
350x1000mm, 150mm (Tumbled)	125	7 units			
Bolzano®					
Crazy Paving					
Irregular crazy paving, 30mm	85	15m ²			
Coping / Step Tread					
406x610mm, 30mm	20	60 units			
Brannon, Bullen & Osprey					
Tiles					
Modular 252-764mm, 30mm	75	11.6m ²			
Crazy Paving					
Irregular crazy paving, 30mm	75	16m ²			




The nature of sandstone offers a natural colour variation in both shade and pattern (call into a showroom to see large format displays which show this variation). For further information, installation tips and pricing please call a showroom on 1300 13 14 13.

Brannon, Bullen, Osprey

Small Modular Pattern

Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.
This pattern can be interlocked from all sides.
For a download of this pattern refer to website.
For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



For more downloadable imagery visit www.ecooutdoor.com.au

Camelhaas

Small Modular Pattern




Ratio	Sizes
3	A
4	B
2	C
4	D
4	E
2	F
3	G

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to website.

For further information, installation tips and pricing please call a showroom on 1300 13 14 13.



—

For more downloadable imagery visit www.ecooutdoor.com.au